



DESIGNED | *to inspire*

# FIREPLACE PRODUCT PORTFOLIO

Gas & Wood Fireplaces

## HEAT & GLO Designed to Inspire

From the beginning, Heat & Glo has been founded on innovation and advanced design. It started 20 years ago when Heat & Glo invented Direct Vent gas technology, which made it possible to safely install a gas fireplace in virtually any room. But that was just the beginning - since that time Heat & Glo has continually created new products and technologies to meet the changing needs and desires of homeowners.

Heat & Glo prides itself on offering a wide variety of design choices. With styles ranging from traditional to modern and everything in between, there's a Heat & Glo that's perfect for any room.



Above: TRUE-42 shown with herringbone refractory and Forge front.

## PRODUCT PORTFOLIO

### ECO-FRIENDLY PERFORMANCE

Heat & Glo fireplaces deliver maximum efficiency and eco-friendly performance. Many Heat & Glo products are also recognized by national green building programs. These programs are outlined below:

Type of Hearth	National Green Building Standards ICC 700-2008	LEED® for Homes	Energy Star® Indoor Air Package
Gas fireplaces, stoves and inserts - Direct Vent	7 points	1 point - Direct Vent, 2 points - Direct Vent + electronic ignition	Qualify
Wood fireplaces, stoves and inserts - EPA-certified	6 points	1 point - EPA-cert., 2 points - EPA-cert. + back draft potential test	Qualify

### ENERGY SAVINGS

Heat-Zone® technology is an advanced heat management system available with select Heat & Glo products. Heat-Zone systems help homeowners conserve energy by sending heat into the most used areas of the home.

### INTELLIFIRE PLUS IGNITION SYSTEM

The IntelliFire™ Plus Ignition System (IPI Plus) is an advanced intermittent pilot ignition system with memory settings and a programmable wireless control. IPI Plus constantly monitors ignition, ensures safe functioning and conserves up to \$10/month in energy costs. To learn more about IntelliFire Technology, scan the code to the right with your smartphone, or visit [heatnglo.com](http://heatnglo.com).



### DIRECT VENT TECHNOLOGY

Direct Vent fireplaces remove 100% of combustion exhaust and odors outside of the home. These sealed fireplaces provide optimal heat, conserve energy and ensure clean, safe indoor air quality. To learn more about Direct Vent Technology, scan the code to the right with your smartphone, or visit [heatnglo.com](http://heatnglo.com).



### FIREBRICK TECHNOLOGY

FireBrick is an energy-saving firebox technology used in gas fireplaces. FireBrick produces up to 25% more radiant heat to heat which heats rooms faster using less fuel. This increases efficiency and heating costs.





## TRADITIONAL SINGLE-SIDED GAS



### TRUE

The TRUE is an innovative blend of technology, design, and safety. This combination creates the most authentic masonry appearance available in a Direct Vent platform. A clean face and flush hearth design offers the largest viewing area for an ultimate fireside experience.

Available in viewing area widths of: 36", 42", 50"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top DV	Optional	Standard	Standard



### CERONA

The Cerona delivers powerful heat output through a stylish design. Advanced engineering enhances performance and maximizes efficiency. Enjoy beautiful flames within a unique, arched firebox with a custom-built masonry appearance.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Top DV	Standard	Standard	Optional



### CRESCENT II

What used to be empty and underutilized space can now be warm and inviting. Designed specifically to slip into corners and tight spots, the Crescent II adds a graceful arch to any room where space is an issue and coziness is a must.

Available in viewing area width of: 21"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Top DV	N/A	Standard	Optional



### 6000CLX / 8000CLX

The CLX is the flagship model of the 6000 and 8000 Series. These fireplaces feature large flames, intricate log sets, LED accent lighting and illuminated embers, a textured brick interior, advanced wireless controls, and a fan kit.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top/Rear DV	Standard	Standard	Standard



### 6000CL / 8000CL

The CL model delivers impressive flames and many other fireplace upgrades including: LED accenting lighting, a textured brick interior and advanced wireless controls.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Standard	Standard



### 6000C / 8000C

The 6000C and 8000C offer an unsurpassed value with advanced technology and the perfect combination of flame and glow.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Optional	Optional

## TRADITIONAL SINGLE-SIDED GAS



### SLIMLINE TRS

The SlimLine Series fits where other fireplaces don't. A variety of sizes and finishing options provide unique possibilities. The TRS series also offers impressive heat with an efficient AFUE rating.

Available in viewing area widths of: 28", 32", 36"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Top/Rear DV	Optional	Standard	Optional



### SLIMLINE TR

The SlimLine Series offers the look and ambiance of a traditional fireplace with the safety and convenience of Direct Vent gas. A ceramic log set and an optional brick refractory provide authentic style. Clean lines complement a variety of interior designs.

Available in viewing area widths of: 32", 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Optional	Optional

## MODERN SINGLE-SIDED GAS



### RED

Take modern design to the next level and make an impact in any space. The RED Series works beautifully with non-traditional shapes, material and design elements. A long, hypnotic ribbon flame rises through attractive modern media and dances along the viewing area.

Available in viewing area widths of: 40", 60"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IPI)	Top DV	N/A	Standard	Optional



### LUX

The LUX delivers custom looks - without custom costs and installation hassles. Colorful flames rise through sculpted stainless steel while a reflective black glass interior multiplies the fire and radiates the flames. It's an innovative blend of technology, design and safety that creates modern art, on fire.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire Plus (IPI)	Top DV	N/A	Standard	Standard



### EVEREST

The Everest provides a fresh, welcomed look. It's handsome, upright design is highlighted by impressive flames, a textured interior, and powerful heating performance.

Available in viewing area width of: 33"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IPI)	Top DV	N/A	Standard	Optional

## MODERN SINGLE-SIDED GAS



### REVO HORIZONTAL, SQUARE & VERTICAL

The slender, 7-inch deep profile of the REVO Series can hang on the wall or be framed in-wall for installation in nearly any room. Three styles and sizes feature the patented Razor burner.

Numerous finishing options help create a custom look with the REVO. Beautiful, contemporary flames and industry-leading safety accompany every style.

Stunning design and efficient heat output have never been this simple. Experience fire in new ways with this REVOLUTIONARY series.

Available in viewing area width of: 12", 21" or 31"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire Plus (IPI)	Rear DV	N/A	Standard	Standard







### 6000 MODERN/ 8000 MODERN

The 6000 Modern / 8000 Modern delivers a dramatic yet elegant fireside experience. A large firebox with clean, bold lines accents contemporary decor. Robust flames rising up through modern glass media deliver unmatched style and room ambiance.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top/Rear DV	Optional	Standard	Optional



### COSMO

The Cosmo provides warmth, ambiance and chic contemporary detail. High-efficiency performance and multiple finishing options create a serene atmosphere and unique look. Deliver a bold statement and add superior technology and distinct design to any space.

Available in viewing area widths of: 32", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IPI)	Rear DV	N/A	Optional	Optional



### METRO

The Metro features a contemporary design and shallow footprint for unique installation areas. Highlight both contemporary and transitional décor with this compact, efficient fireplace option.

Available in viewing area width of: 32"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IPI)	Top/Rear DV	Optional	Standard	Optional

## TRADITIONAL MULTI-SIDED GAS



### ESCAPE SEE-THROUGH

Take comfort to the next level, and Escape. This innovative, see-through fireplace blends style with function. The Escape is also loaded with innovations, like the IntelliFire Plus® auto-ignition system and direct vent technology, to name a few.

Available in viewing area width of: 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Top DV	N/A	Standard	Standard



### SEE-THROUGH

The dramatic see-through design provides two-sided fire viewing and a smart way to bring warmth to two distinct areas. Enjoy plenty of heat, plus finishing options to complement any décor.

Available in viewing area widths of: 32", 36"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Top/Rear DV	Optional	Standard	Optional



### PIER

A unique multi-sided fireplace, the Pier provides three-sided viewing and works perfectly as a room divider or even the base of a bar. A beautiful look for year-round enjoyment, the Pier can complement any décor and turn a room into a welcoming space.

Available in viewing area width of: 36"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IPI)	Top/Rear DV	Optional	Standard	Optional



### CORNER

The Corner Direct Vent gas fireplace is available in both right and left-facing designs to provide an elegant design upgrade with many installation possibilities.

Available in viewing area width of: 36"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IP)	Top/Rear DV	Optional	Standard	Optional



### GATEWAY

The Gateway is the first and only B-vent fireplace that can be vented vertically or horizontally. Innovative draft-assist technology and advanced engineering enable endless installation possibilities.

Available in viewing area width of: 36"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire (IP)	B-Vent Draft Assist	Optional	Standard	N/A

## MODERN MULTI-SIDED GAS



### SOLARIS

The Solaris is the world's thinnest Direct Vent gas fireplace. This two-sided fireplace features a continuous, levitating flame on display through a see-through or infinity mirrored 6-inch deep firebox.

32" circular viewing area

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire Plus (IPI)	Top DV	N/A	N/A	Standard



### RED40 SEE-THROUGH

Spread stunning style and warmth into two different spaces. The RED40 See-Through remains a staple of the modern designs by Heat & Glo and blends unique linear design elements with superior technology.

Available in viewing area width of: 40"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire Plus (IPI)	Top DV	N/A	Standard	Optional



### METRO SEE-THROUGH

The Metro See-Through links two separate spaces while infusing them both with authentic fireside warmth and elegance. Push the boundaries of where fire can go and how it can look.

Available in viewing width of: 32"

IGNITION SYSTEM	VENTING TYPE	FAN	INTERIOR LINING	CONTROL
IntelliFire Plus (IPI)	Top DV	N/A	Standard	Optional



TRADITIONAL SINGLE-SIDED WOOD



**NORTHSTAR**

The Northstar is a beautiful, efficient and eco-friendly wood-burning fireplace. Strict air quality regulations or "burn bans" are no match for this clean burning, Phase II EPA certified powerhouse. Savor exceptional heating power and extended performance.

Available in viewing area width of: 36"

HEAT	OUTSIDE AIR	REFRACTORY
Circulating	Standard	Standard



**RUTHERFORD**

The Rutherford series offers robust performance and the appearance of a custom-built masonry fireplace all at a fraction of the cost. Whether at a crackle or a blaze, the Rutherford delivers a bold statement in your favorite room.

Available in viewing area widths of: 36", 42", 50"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Standard	Required to complete fireplace



**EXCLAIM**

The Exclaim features a superior design for stunning fires. Large viewing areas and attractive brick interiors bring warmth and ambiance.

Available in viewing are widths of: 36", 42", 50"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Standard	Standard

## TRADITIONAL SINGLE-SIDED WOOD



### ENERGY MASTER

The Energy Master delivers generous warmth, solid radiant heat and high efficiencies. Whether a soft glow or intense burn, the Energy Master gets the most from your wood.

Available in viewing area widths of: 36", 42"

HEAT	OUTSIDE AIR	REFRACTORY
Circulating	Optional	Standard



### ROYAL HEARTH

Enjoy blazing fires and impressive radiant heat with the Royal Hearth. An easy-to-open damper, helpful ash lip and invisible smoke shield make staying comfortable even easier.

Available in viewing area widths of: 36", 42"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Optional	Standard

## TRADITIONAL MULTI-SIDED WOOD



### SEE-THROUGH

The dramatic see-through design of this fireplace provides two-sided fire viewing – and a smart way to bring authentic ambiance into two distinct areas. Enjoy high-efficiency heating, plus finishing options to complement any décor.

Available in viewing area widths of: 36", 42"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Standard	Standard



### PIER-40

The Pier-40 spreads style and warmth out into multiple spaces. Elegantly divide a room and enjoy the first from any angle. Smoothly transition interior decor with a clean-face fireplace design.

Available in viewing area width of: 36"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Standard	Standard



### BAY-40

The Bay-40 is a modern twist on tradition. Its stunning design helps showcase roaring fires from multiple angles. Clean-face styling brings finishing materials right up to the doors.

Available in viewing area width of: 36"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	Standard	Standard

## OUTDOOR WOOD



### CASTLEWOOD

The Castlewood wood fireplace turns any outdoor area into a welcoming and relaxing living space. A large, high opening provides a dramatic view from across the yard, and a textured brick interior offers masonry-style looks at a fraction of the cost. Extend your season in style.

Available in viewing area width of: 42"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	N/A	Standard



### MONTANA

The Montana is the original outdoor fireplace that started it all. It's fashionably built to withstand adverse weather conditions and deliver solid performance—season after season, year after year.

Available in viewing area widths of: 36", 42"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	N/A	Standard



### VILLAWOOD

The Villawood is a versatile wood fireplace at home in a variety of outdoor spaces. Upgrade your outdoor kitchen or enhance your living area with style and warmth.

Available in viewing area widths of: 36", 42"

HEAT	OUTSIDE AIR	REFRACTORY
Radiant	N/A	Standard



## OUTDOOR GAS



### CAROLINA

This attractive gas fireplace can help heat a small deck or patio, or highlight a larger outdoor space. A compact footprint provides versatile installation opportunities - and innovative engineering helps achieve impressive heat output, efficiency and safety. Enhance your outdoor living and extend the season.

Available in viewing area widths of: 36", 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire Plus (IPI)	Not Required	N/A	Standard	Optional



### DAKOTA

The Dakota artfully blends style, function and utility with outdoor living. A rugged design loaded with advanced technology make the Dakota an enticing outdoor fireplace for years to come.

Available in viewing area widths of: 42"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Not Required	N/A	Standard	Optional

## OUTDOOR



Twilight II Interior



Twilight II Exterior

### TWILIGHT II

Add warmth and beauty to two spaces—with one fireplace. The Twilight II is the world's first see-through indoor/outdoor gas fireplace. Enjoy the fire all year long, and from either side. An advanced design exceeds both window and gas fireplace standards, and rugged construction ensures impressive, consistent performance.

Available in viewing area width of: 36"

IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Not Required	Optional	Standard	Optional



Twilight Modern Interior



Twilight Modern Outdoor

### TWILIGHT MODERN

The Twilight Modern is an evolution of the industry's first indoor/outdoor see-through fireplace. This Direct Vent gas unit offers impressive fireside views whether relaxing inside or socializing outside. Bolster your favorite room and upgrade your outdoor living space—let the Twilight deliver Modern style, inside and out.

Available in viewing area width of: 36"


IGNITION SYSTEM	VENTING TYPE	FAN	REFRACTORY	CONTROL
IntelliFire (IPI)	Not Required	Optional	Standard	Optional



Above: Twilight Modern exterior view with basic front




FRONT OPTIONS & UPGRADES



Firescreen




Firescreen Cabinet



Forge



Firescreen Arch



Forge Arch



Modern  
(Available in black or gray only)



CMOD



Folio



Arcadia



Chateau Deluxe Front



Chateau Forge Front



Halston Operable Doors



Galleria Operable Doors




Clean Face Kit



Studio




Frame



Radius



Martini



Tonic



Modern Front





Aero



Chateau



Chateau Deluxe



Valencia



Galleria Doors



Designer Classic



Essence




Reserve

	Firescreen	Firescreen Cabinet	Firescreen Forge	Firescreen Arched	Firescreen Forge	Firescreen Modern	CMOD	Folio	DF	Arcadia	Chateau Deluxe	Chateau Forge	Halston	Galleria	Clean Face	Radius*	Frame*	Studio*	Martini	Tonic	Modern	Aero	Arched Chateau	Arched Chateau Deluxe	Arched Valencia	Arched Galleria	Designer Classic	Essence	Essence	
<b>Gas Single-Sided</b>																														
TRUE	X	X	X	X	X																									
LUX	X					X																								
6000/8000 Modern						X	X																							
6000/8000 C Series							X	X	X	X	X	X	X	X	X															
REVO Horizontal																X	X	X												
REVO Vertical																X	X	X												
REVO Square																X	X	X												
Cosmo Series																			X	X										
Metro															X						X	X								
RED Series																														
Cerona																							X	X	X	X				
Slim Line Series											X		X	X								X								
Everest																														
Crescent II																											X	X	X	
<b>Gas Multi-Sided</b>																														
Solaris																					X									
Red See-Through																														
Escape See-Through																														
Metro See-Through																														
Pier										X	X											X								
Corner																						X								
See-Through Series							X	X	X													X								

\*Available in Vertical, Horizontal and Square styles based on REVO fireplace model chosen.

## FRONT OPTIONS & UPGRADES




Mesh Cabinet Doors




Glass Bi-Fold Doors



Contour Mesh Doors



Grand Vista Cabinet Doors



DM Bi-Fold Glass Doors



Gasketed Glass Doors

	Mesh Cabinet Doors	Glass Bi-Fold Doors	Contour Mesh Doors	Grand Vista Cabinet Doors	DM Bi-Fold Glass Doors	Gasketed Glass Doors
<b>Wood Single-Sided</b>						
Rutherford Series	X	X				
Northstar						
Exclaim Series			X	X	X	
Energy Master Series			X	X	X	X
Royal Hearth Series					X	
<b>Wood Multi-Sided</b>						
See-Through Series					X	
Pier					X	
Bay					X	




Bronze Bi-Fold Glass Doors



Bi-Fold Glass Doors




Bronze Screen Doors



Firescreen



Basic



Contemporary

	Bronze Bi-Fold Glass Doors	Bi-Fold Glass Doors	Bronze Screen Doors	Firescreen	Basic	Contemporary
Outdoor						
Castlewood	X					
Villawood		X				
Carolina			X			
Twilight II				X	X	
Twilight Modern					X	X

# FIREPLACE SPECIFICATIONS

## SINGLE-SIDED GAS FIREPLACES

Series	Model	Vent Type	Viewing Area	Framing Dimensions	BTU/Hour Input (Natural Gas)
TRUE 36	TRUE-36C/H/S	T DV	35-7/8"w x 31-1/16"h	59-1/2"w x 56"h x 24"d	28,000 - 45,000
TRUE 42	TRUE-42C/H/S	T DV	41-7/8"w x 36-1/16"h	65-9/16"w x 61"h x 24"d	30,000 - 55,000
TRUE 50	TRUE-50C/H/S	T DV	49-7/8"w x 40-1/16"h	73-5/16"w x 65"h x 25"d	37,000 - 65,000
LUX 36	LUX36	T DV	35-7/8"w x 31-1/16"h	59-1/2"w x 56"h x 24"d	38,000
LUX 42	LUX42	T DV	41-7/8"w x 36-1/16"h	65-9/16"w x 61"h x 24"d	49,000
6000 Modern	6000CMOD	T DV	36-1/2"w x 24-3/4"h	42"w x 40-1/8"h x 22"d	19,000 - 28,000
8000 Modern	8000CMOD	T DV	42"w x 26-3/4"h	49"w x 42-1/8"h x 22"d	22,000 - 32,000
6000CLX	6000CLX-S/T	T/R DV	36-1/2"w x 24-3/4"h	42"w x 40-1/8"h x 22"d	22,000 - 40,000
8000CLX	8000CLX-S/T	T/R DV	42"w x 26-3/4"h	49"w x 42-1/8"h x 22"d	22,000 - 45,000
6000CL	6000CL-S/T	T/R DV	36-1/2"w x 24-3/4"h	42"w x 40-1/8"h x 22"d	18,000 - 35,000
8000CL	8000CL-S/T	T/R DV	42"w x 26-3/4"h	49"w x 42-1/8"h x 22"d	20,000 - 40,000
6000C	6000C	T/R DV	36-1/2"w x 24-3/4"h	42"w x 40-1/8"h x 22"d	16,000 - 30,000
8000C	8000C	T/R DV	42"w x 26-3/4"h	49"w x 42-1/8"h x 22"d	19,000 - 35,000
REVO Horizontal	REVO-H31	R DV	31"w x 17"h	39-3/8"w x 39"h x 7-7/8" d	12,700 - 24,000
REVO Square	REVO-S21	R DV	21-1/8"w x 21-3/8"h	29-3/8"w x 40-1/2"h x 7-7/8" d	10,900 - 18,800
REVO Vertical	REVO-V12	R DV	12"w x 24"h	20-1/8"w x 43-1/8"h x 7-7/8" d	8,200 - 14,250
Cosmo SLR	SLR-C	T DV	39-1/16"w x 13-1/4"d	50"w x 42-1/4"h x 18-1/4"d	26,000
Cosmo 32	SLR32	T DV	27-1/4"w x 11-1/2"d	37-3/4"w x 36-1/2"h x 18-1/4"d	20,000
Metro	SL-550Metro	T/R DV	30-1/2"w x 21"h	37"w x 34-3/8"h x 16-1/4"d	21,000
RED40	RED40	T DV	40-1/16"w x 13-3/16"h	50-1/4"w x 50-1/4"h x 18-1/4"d	34,000
RED60	RED60	T DV	62-3/4"w x 17-3/16"h	70-3/8"w x 51"h x 18-1/4"d	44,000
Cerona 36	Cerona-36	T DV	30-1/4"w x 23-1/2"h	42-1/8"w x 50-1/2"h x 22-1/4"d	25,000 - 37,500
Cerona 42	Cerona-42	T DV	35-7/8"w x 27-3/4"h	49-1/8"w x 54-1/2"h x 22-1/4"d	32,000 - 48,000
SL-350TRS	SL-350TRS	T/R DV	27-1/2"w x 19"h	34"w x 32-3/4"h x 16-1/4"d	14,400 - 20,500
SL-550TV	SL-550TV	BV	30-1/2"w x 21"h	37"w x 34-3/4"h x 16-1/4"d	14,700 - 21,100
SL-550TR	SL-550TR	T/R DV	30-1/2"w x 21"h	37"w x 34-3/4"h x 16-1/4"d	15,000 - 21,000
SL-550TRS	SL-550TRS	T/R DV	30-1/2"w x 21"h	37"w x 34-3/4"h x 16-1/4"d	18,200 - 27,300
SL-750TV	SL-750TV	BV	35"w x 24-1/2"h	42"w x 38-1/4"h x 16-1/4"d	17,700 - 24,800
SL-750TR	SL-750TR	T/R DV	35"w x 24-1/2"h	42"w x 38-1/4"h x 16-1/4"d	16,900 - 24,300
SL-750TRS	SL-750TRS	T/R DV	35"w x 24-1/2"h	42"w x 38-1/4"h x 16-1/4"d	20,200 - 30,800
SL-950TV	SL-950TV	BV	43"w x 22"h	49"w x 42-1/4"h x 16-1/4"d	21,300 - 30,900
SL-950TR	SL-950TR	T/R DV	43"w x 22"h	49"w x 42-1/4"h x 16-1/4"d	20,900 - 30,400
Everest	Everest	T DV	26-7/8"w x 33-3/8"h	35-1/8"w x 50-1/2"h x 21-3/8" d	23,000 - 33,000
Crescent II	CrescentII	T DV	15-1/2"w x 21"h	24-1/2"w x 37"h x 15-5/8" d	8,500 - 11,500

## MULTI-SIDED GAS FIREPLACES

Series	Model	Vent Type	Viewing Area	Framing Dimensions	BTU/Hour Input (Natural Gas)
Solaris	Solaris36-ST/MR	T DV	32-1/4"	47-1/2"w x 55-1/4"h x 5-1/2"d	29,500
RED40	RED40ST	T DV	40-1/16"w x 13-3/16"h	50-1/4"w x 50-1/4"h x 17-1/4"d	34,000
Escape	ESC-42ST	T DV	39-7/16"w x 35-1/8"h	60-1/4"w x 46-1/2"h x 30"d	43,500 - 57,500
Metro	ST-550TM	T DV	31"w x 21"h	38-1/8"w x 41-1/2"h x 15"d	16,000 - 22,000
Pier	PIER-36TR/TRB	T/R DV	36"w x 24-1/2"h	40"w x 38-1/8"h x 23"d	26,000 - 37,000
Corner	COR-TRB	T/R DV	36"w x 24-1/2"h	40"w x 38-1/8"h x 24"d	26,000 - 37,000
See-Through	ST-550T	T DV	31"w x 21"h	38-1/8"w x 34-3/4"h x 15"d	14,700 - 21,000
See-Through	ST-36TVB	BV	36"w x 24-1/2"h	43"w x 38-1/2"h x 23"d	26,000 - 37,000
See-Through	ST-36TR/TRB	T/R DV	36"w x 24-1/2"h	43"w x 38-1/2"h x 23"d	26,000 - 37,000
Gateway	Gateway	BV	30-1/4"w x 20-3/4"h	40-1/4"w x 40-1/4"h x 21-5/8" d	35,000



## SINGLE-SIDED WOOD FIREPLACES

Series	Model	Fireplace Opening	Framing Dimensions	Radiant or Circulating
Rutherford 36	Rutherford-36-B	36" w x 38" h	47-7/8" w x 74-1/4" h x 28-1/2" d	Radiant
Rutherford 42	Rutherford-42-B	42" w x 38" h	53-7/8" w x 74-1/2" h x 28-3/8" d	Radiant
Rutherford 50	Rutherford-50-B	50" w x 38" h	61-7/8" w x 74-1/2" h x 28-1/2" d	Radiant
Northstar	Northstar-BK	272 sq. in.	42" w x 43-7/8" h x 24" d	Circulating
Exclaim 36	Exclaim-36T/R	36" w x 28-1/2" h	45-1/2" w x 50" h x 28" d	Radiant
Exclaim 42	Exclaim-42T/R	42" w x 28-1/2" h	50-1/2" w x 50" h x 28-1/2" d	Radiant
Exclaim 50	Exclaim-50T/R	50" w x 33" h	61-5/8" w x 61-1/4" h x 30-1/2" d	Radiant
Energy Master 415	EM-415	36" w x 23-3/8" h	43" w x 41-1/2" h x 23" d	Circulating
Energy Master 485T	EM-485T	42" w x 23-3/8" h	49" w x 41-1/2" h x 23" d	Circulating
Royal Hearth 36	RH-36	36" w x 18-3/4" h	42" w x 39-3/4" h x 21-1/2" d	Radiant
Royal Hearth 42	RH-42	42" w x 18-3/4" h	48" w x 39-3/4" h x 21-1/2" d	Radiant

## MULTI-SIDED WOOD FIREPLACES

Series	Model	Fireplace Opening	Framing Dimensions	Radiant or Circulating
See-Through	HST-42D	36" w x 20-7/8" h	41" w x 41-1/2" h x 23" d	Radiant
See-Through	HST-48D	42" w x 23" h	48" w x 39-1/8" h x 27" d	Radiant
Pier	PIER-40	36" w x 21" h	40" w x 47-5/8" h x 23" d	Radiant
Bay	BAY-40	36" w x 21" h	39" w x 47-5/8" h x 23" d	Radiant

## OUTDOOR FIREPLACES

Series	Model	Viewing Area	Framing Dimensions	Venting
Castlewood	ODCASTLEWD-42	42" w x 38" h	53-7/8" w x 74-1/2" h x 28-3/8" d	SL1100 Series Pipe
Villawood 36	ODVILLA-36T/H	36" w x 20-7/8" h	42" w x 39-3/4" h x 21-1/2" d	SL300 Series Pipe
Villawood 42	ODVILLA-42T/H	42" w x 20-7/8" h	48" w x 39-3/4" h x 21-1/2" d	SL300 Series Pipe
Carolina 36	CARODG36I	33-3/8" w x 28-7/8" h	44" w x 42-1/2" h x 15-1/2" d	Outdoor - Not Required
Carolina 42	CARODG42I	39-1/8" w x 33-3/4" h	50" w x 50-1/2" h x 15-1/2" d	Outdoor - Not Required
Twilight II	TWILIGHT-II-B	35-5/8" w x 12-1/2" h	44" w x 47-5/8" h x 23" d	Outdoor - Not Required
Twilight Modern	TWILIGHT-II-MODERN	35-5/8" w x 12-1/2" h	44" w x 47-5/8" h x 23" d	Outdoor - Not Required








For complete information on this model,  
please contact us at:

**HEAT & GLO**

No one builds a better fire

A brand of Hearth & Home Technologies®  
7571 215th Street West, Lakeville, MN 55044  
Web: [heatnglo.com](http://heatnglo.com)  
Phone: (888) 427-3973 (952) 985-6000  
E-mail: [info@heatnglo.com](mailto:info@heatnglo.com)

 [facebook.com/HeatandGlo](https://facebook.com/HeatandGlo)  
 [twitter.com/HeatandGlo](https://twitter.com/HeatandGlo)  
 [youtube.com/HeatandGlo](https://youtube.com/HeatandGlo)

HNG-1133U-0813

**LIMITED LIFETIME WARRANTY\***

The strongest in the industry, Heat & Glo provides a limited lifetime warranty on the most important aspects: firebox and heat exchanger.

\*For full warranty details, go to [www.heatnglo.com](http://www.heatnglo.com).

Fireplace glass and other surfaces get extremely HOT and can cause severe burns if touched. Do not remove the protective safety screen from the front of the glass. Keep a safe distance away. To learn more visit [www.heatnglo.com/fireplacesafety](http://www.heatnglo.com/fireplacesafety).

